

### **High-Performance Industrial and Decorative Coatings**



system 241

# SYSTEM DECO-GUARD

SOLID COLORED URETHANE CONCRETE FLOORING SYSTEM



В

Urethane aromatic topcoat, matte finish with good thermo-shock and

Novolac, greater chemical resistance

Urespartic™, gloss or low luster, UV graffiti and abrasion resistant,

chemical resistance

LEED compliant.

BODY COAT

Texture

**DECO-GUARD 241** is a solid-colored 1/8"- 3/16" chemical and slip-resistant urethane flooring system made especially for areas which are prone to swings in temperatures and thermal shock.


#### COMMON APPLICATIONS

Floor areas where durability, cleanability and thermal shock are all critical performance characteristics. Typically installed over clean prepared concrete. Specific applications include, but are not limited to: Kitchens, Manufacturing, Prisons, Schools, Food and Chemical processing plants.

#### BASE COMPONENTS

F-52 SL / 1331

LEED MATRIX [NC 2009]		
	YES	NO
MRc1.1 Building Reuse	<b>~</b>	
MRc2 Construction Waste Management	<b>✓</b>	
MRc4.1 Recycled Content		<b>~</b>
MRc6 Rapidly Renewable Materials	<b>✓</b>	
IEQc4.2 Low Emitting Materials	<b>~</b>	



For additional or custom system configurations, please contact your Polymer Nation Consultant.

Custom colors upon request, actual colors may vary.

#### **STANDARD COLORS**



## **POLYMER NATION** (847) 774-5038 | polymernation.com

In the unlikely event of a problem, a resolution is one phone call away with the assurance that the blame game will not be a part of the process. Our goal is to develop long lasting relationships with our customers.

WE PLEDGE TO DO WHATEVER WE CAN TO BRING OUR CUSTOMERS THE HIGHEST LEVEL OF SATISFACTION!