

Setting the Standard

High-Performance Industrial and Decorative Coatings





WEAR-GUARD 341 is a 1/4" troweled chemicalresistant urethane mortar, specifically formulated for areas which experience large temperature swings and constant thermal cycling. Available with a proprietary crack suppression reinforcing system

SYSTEM WEAR-GUARD

SOLID COLORED URETHANE MORTAR FLOOR SYSTEM

COMMON APPLICATIONS

Floor areas where durability cleanability and thermal shock are all critical performance characteristics. Typically installed over clean prepared concrete. Specific applications include, but are not limited to: institutional and correctional kitchens, food and beverage manufacturing, cage wash areas, vivariums, and clean rooms.

COMPONENTS

F-52 TD

341

(PN 1244).

LEED MATRIX [NC 2009]		
	YES	NO
MRc1.1 Building Reuse	\checkmark	
MRc2 Construction Waste Management	✓	
MRc4.1 Recycled Content		~
MRc6 Rapidly Renewable Materials	\checkmark	
IEQc4.2 Low Emitting Materials	\checkmark	







BODY COAT

OPTIONS

Cove Bases: Available

Colors: see back panel

	А	В	С
Texture		\checkmark	\checkmark

Polymer Nation offers 3 categories of finish Textures. Texture A is our smoothest finish. Texture B is our mid-level slip resistant finish and Texture C is our highest level slip resistant finish. Custom textures can be engineered to meet specific design requirements. A mock up is recommended as the best way to ensure customer satisfaction.

Antimicrobial: Available

Waterproofing Membrane: Available

Optional Finish Coats:		
F-52D	Urethane topping is a low sheen finish coat based on the same resin technology as the 352 TD and SL.	
L-21	Novolac, greater chemical resistance	
F-60	Polyaspartic for greater UV resistance	
U-20 G, LL	No VOC, pigmented, waterborne Urespartic™, gloss or low luster, UV, graffiti and abrasion resistant coating.	



COLORS

Custom colors upon request, actual colors may vary.

STANDARD COLORS



POLYMER NATION (847) 774-5038 | polymernation.com

WE PLEDGE TO DO WHATEVER WE CAN TO BRING OUR CUSTOMERS THE HIGHEST LEVEL OF SATISFACTION!

For additional or custom system configurations, please contact your Polymer Nation Consultant.